



SPRENGER

**SUPPLEMENTARY
CATALOGUE
2023**



Herm. Sprenger

**HANDCRAFTED FOR EQUESTRIAN
SINCE 1872**

PART OF YOUR PASSION.



YOUR CONTACT PERSONS:

Dr. Heiko Koch
Sales Manager
koch@sprenger.de
Phone +49 (0) 2371 9559-930

Sabrina von Westernhagen
Sales department
westernhagen@sprenger.de
Phone +49 (0) 2371 9559-931

Andrea Wieczorek
Sales department
wieczorek@sprenger.de
Phone +49 (0) 2371 9559-932



Table of contents

Pony Assortment	4-5
Pronamic, KK Original, WH ULTRA	6-7
Dynamic RS	8-9
novocontact	10-11
Weymouth bits	12
Driving bits	13
Turnado	14
MAX-Control	15
SATINOX	16-23
Stirrups & accessories	24-26
BootProtect spurs	27
fairRider spurs	28-29
SLIMLINE spurs	30
Comfort Roller spurs	31
BROWN GRIP spurs	32-33
Spur straps	34

Herm. Sprenger

HANDCRAFTED FOR EQUESTRIAN
SINCE 1872

Isabell Wicke
Sales department
wicke@sprenger.de
Phone +49 (0) 2371 9559-933

Detlef Rombach
Sales department
detlef.rombach@sprenger.de
Phone +49 (0) 2371 9559-935

Henrika Wieshoff
Sales department
wieshoff@sprenger.de
Phone +49 (0) 2371 9559-934



KK ULTRA Pony / Iceland bit



- anatomically adapted mouthpiece, middle link shortened and angled forward by 45°
- noticeable improved effect in comparison to common double jointed bits
- enables the rider to give fine and more sensitive aids and improves the contact

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40201 095 78	78	95	3.3/4	12	45
40201 105 78	78	105	4.1/8	12	45

NEW
02/2023
Dynamic Pony / Iceland bit
single jointed

- ergonomical shape allowing a soft and even distribution of pressure, joint angled forward by 45°
- fits anatomically correct between tongue and palate, allows effective rein aids
- designed to encourage the pony to confidently step forward to the bit
- ideal for sensitive horses or horses with a fleshy tongue

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40216 095 78	78	95	3.3/4	12	45
40216 105 78	78	105	4.1/8	12	45

NEW
02/2023
Dynamic RS Pony / Iceland Eggbutt bit
with D-shaped rings
double jointed

- ergonomical shape allowing a soft and even distribution of pressure, middle link angled forward by 45°
- fits anatomically correct between tongue and palate, allows effective rein aids
- designed to encourage the horse to confidently step forward to the bit
- ideal for sensitive horses or horses with a fleshy tongue
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth, offers additional lateral support

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40244 105 78	78	105	4.1/8	14	55

NEW
02/2023
Dynamic RS Pony / Iceland Eggbutt bit
with D-shaped rings
single jointed

- ergonomical shape allowing a soft and even distribution of pressure, joint angled forward by 45°
- fits anatomically correct between tongue and palate, allows effective rein aids
- designed to encourage the horse to confidently step forward to the bit
- ideal for sensitive horses or horses with a fleshy tongue
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth, offers additional lateral support

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40245 105 78	78	105	4.1/8	14	55

NEW
02/2023

WH ULTRA Pony / Iceland bit



- anatomically adapted KK ULTRA mouthpiece with a unique roller in the centre section
- to improve chewing activity, concentration and attention of the horse
- supports the relaxation of the jaw musculature and the entire top-line
- designed to support relaxation, throughness and harmony

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40227 110 78	78	110	4.1/4	14	55



Duo Pony / Eggbutt bit

can be used in two ways



- very gentle on the horse's mouth made of soft, flexible plastic
- can be used as straight bar or bar with space for the tongue
- mouthpiece is reinforced with a steel cable
- food-safe, solvent-free, contains no plasticisers
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40319 110 00	Plastic white	110	4.1/4	16	70

NEW
02/2023



KK ULTRA bit



- anatomically adapted mouthpiece, middle link shortened and angled forward by 45°
- noticeable improved effect in comparison to common double jointed bits
- enables the rider to give fine and more sensitive aids and improves the contact

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40601 115 78	78	115	4.1/2	12	70
40601 125 78	78	125	5.	12	70
40601 135 78	78	135	5.1/4	12	70





Pronamic bits by Bredow-Werndl

„The development process of the Pronamic bits together with Sprenger was a really exciting project and we are proud of the result. The special shape of the Pronamic is very suitable for different types of horses and leads to a better connection by encouraging the horse to step into the contact.“

„Especially with Dalera, I noticed that she took the contact even more confidently and increased her degree of self-carriage. The Pronamic accompanied me to Tokyo and the result there was very good.“

PRO
NAMIC
by Bredow-Werndl

Pronamic bradoon

by Bredow-Werndl

SENSOGAN®



- single jointed port, anatomically and ergonomically adapted
- with forward flared port
- recommended for horses developing their education
- encourages horses to step through the poll
- effective with horses who tighten through the neck
- also suitable for sensitive horses
- ideal for refining the rein aids

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40270 115 78	78	115	4.1/2	14	55
40270 125 78	78	125	5.	14	55
40270 135 78	78	135	5.1/4	14	55
40270 145 78	78	145	5.3/4	14	55



PRO
N A M I C

by Bredow-Werndl

Patent application
DE 10 2022 104 943.4

Pronamic Loose Ring snaffle

by Bredow-Werndl

SENSOGAN®



- single jointed port, anatomically and ergonomically adapted
- with forward flared port
- recommended for horses developing their education
- encourages horses to step through the poll
- effective with horses who tighten through the neck
- also suitable for sensitive horses
- ideal for refining the rein aids

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40470 115 78	78	115	4.1/2	14	70
40470 125 78	78	125	5.	14	70
40470 135 78	78	135	5.1/4	14	70
40470 145 78	78	145	5.3/4	14	70



PRO
N A M I C

by Bredow-Werndl

Patent application
DE 10 2022 104 943.4

KK Loose Ring snaffle

anatomically shaped

SENSOGAN®



- the rein aid pressure that is exerted on the tongue-edges and the lower jaw is more intense compared to normal single jointed bits
- for horses that are unresponsive to normal double or single jointed bits and that are strong in the contact
- for horses that tend to lean on the bit, using the reins as "5th leg"

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40513 120 78	78	120	4.3/4	14	70
40513 130 78	78	130	5.1/8	14	70
40513 140 78	78	140	5.1/2	14	70



KK

WH ULTRA

SENSOGAN®



- anatomically adapted KK Ultra mouthpiece with a unique roller in the center section
- to improve chewing activity, concentration and attention of the horse
- supports the relaxation of the jaw musculature and the entire top-line
- designed to support relaxation, thoroughness and harmony

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40615 110 78	78	110	4.1/4	14	70
40615 120 78	78	120	4.3/4	14	70
40615 130 78	78	130	5.1/8	14	70
40615 140 78	78	140	5.1/2	14	70



WH
ULTRA



Dynamic RS Loose Ring snaffle
single jointed



- ergonomical shape allowing a soft and even distribution of pressure, joint angled forward by 45°
- fits anatomically correct between tongue and palate, allows effective rein aids
- designed to encourage the horse to confidently step forward to the bit
- ideal for sensitive horses or horses with a fleshy tongue

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40421 120 78	78	120	4.3/4	14	70
40421 130 78	78	130	5.1/8	14	70
40421 140 78	78	140	5.1/2	14	70
40421 150 78	78	150	6.	14	70



Dynamic RS WH ULTRA Eggbutt
with D-shaped rings
double jointed



- ergonomical shape allowing a soft and even distribution of pressure, middle link angled forward by 45°
- mouthpiece with a unique roller in the centre section
- improves chewing activity, concentration and attention of the horse
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth
- offers additional lateral support

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40427 120 78	78	120	4.3/4	14	65
40427 130 78	78	130	5.1/8	14	65



Dynamic RS - Hunter Jumper D-Ring
double jointed



- ergonomical shape enables a soft and even pressure distribution, middle link angled forward by 45°
- fits exactly between tongue and palate
- enables soft but effective rein aids
- ideal for sensitive horses or horses with a fleshy tongue
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- lies steady in the horses mouth, gentle on the corners of the mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40444 115 78	78	115	4.1/2	14	70
40444 125 78	78	125	5.	14	70
40444 135 78	78	135	5.1/4	14	70



Dynamic RS - Hunter Jumper D-Ring
single jointed



- ergonomical shape allowing a soft and even distribution of pressure, joint angled forward by 45°
- fits anatomically correct between tongue and palate
- designed to encourage the horse to confidently step forward to the bit
- ideal for sensitive horses or horses with a fleshy tongue
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- lies steady in the horse's mouth, gentle on the corners of the mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40445 115 78	78	115	4.1/2	14	70
40445 125 78	78	125	5.	14	70
40445 135 78	78	135	5.1/4	14	70

Dynamic RS pelham
single jointed



- ergonomic shape allowing a soft and even distribution of pressure, middle link is angled forward by 45°
- fits anatomically correct between tongue and palate, allows effective rein aids
- the leverage effect on the poll can be varied by different rein options
- often used in combination with bit converters or with 2 reins
- curb chain should allow a maximum angle of 45° to limit the poll pressure
- the rein aids come into play earlier due to the lever action of the short cheeks

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]	Cheeks [cm]
42022 125 78	78	125	5.1/4	16	4.5	10
42022 135 78	78	135	5.3/4	16	4.5	10
42022 145 78	78	145	5.3/4	16	4.5	10

42112 000 00	Pelham bit converters 16 cm nylon black (by pair)					
42112 001 00	Pelham bit converters 16 cm nylon brown (by pair)					
45249 000 71	Curb chain guard, Rubber black					





novocontact

novocontact Loose Ring snaffle single jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- ideal for super sensitive horses that do not take the contact confidently
- optimal utilisation of the limited space in the horse's mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40539 115 78	78	115	4.1/2	12	70
40539 125 78	78	125	5.	12	70
40539 135 78	78	135	5.1/4	12	70
40541 115 78	78	115	4.1/2	14	70
40541 125 78	78	125	5.	14	70
40541 135 78	78	135	5.1/4	14	70



novocontact

novocontact Loose Ring snaffle double jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- designed for horses that occasionally pull against the hand but are too sensitive for stronger bits
- optimal utilisation of the limited space in the horse's mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40454 115 78	78	115	4.1/2	12	70
40454 125 78	78	125	5.	12	70
40454 135 78	78	135	5.1/4	12	70
40455 115 78	78	115	4.1/2	14	70
40455 125 78	78	125	5.	14	70
40455 135 78	78	135	5.1/4	14	70



novocontact

novocontact Eggbutt bit with D-shaped rings single jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- ideal for super sensitive horses that do not take the contact confidently
- optimal utilisation of the limited space in the horse's mouth
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40343 115 78	78	115	4.1/2	14	65
40343 125 78	78	125	5.	14	65
40343 135 78	78	135	5.1/4	14	65



novocontact

novocontact Eggbutt bit with D-shaped rings double jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- designed for horses that occasionally pull against the hand but are too sensitive for stronger bits
- optimal utilisation of the limited space in the horse's mouth
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40355 115 78	78	115	4.1/2	14	65
40355 125 78	78	125	5.	14	65
40355 135 78	78	135	5.1/4	14	65

novocontact bradoon
single jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- ideal for super sensitive horses that do not take the contact confidently
- optimal utilisation of the limited space in the horse's mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40241 115 78	78	115	4.1/2	14	55
40241 125 78	78	125	5.	14	55
40241 135 78	78	135	5.1/4	14	55



novocontact

novocontact bradoon
double jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- designed for horses that occasionally pull against the hand but are too sensitive for stronger bits
- optimal utilisation of the limited space in the horse's mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40255 115 78	78	115	4.1/2	14	55
40255 125 78	78	125	5.	14	55
40255 135 78	78	135	5.1/4	14	55



novocontact

novocontact Eggbutt bradoon
single jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- ideal for super sensitive horses that do not take the contact confidently
- optimal utilisation of the limited space in the horse's mouth
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40363 115 78	78	115	4.1/2	14	55
40363 125 78	78	125	5.	14	55
40363 135 78	78	135	5.1/4	14	55



novocontact

novocontact Eggbutt bradoon
double jointed



- oval shape enlarges the contact surface on the tongue for a soft influence
- designed for horses that occasionally pull against the hand but are too sensitive for stronger bits
- optimal utilisation of the limited space in the horse's mouth
- allows direct pressure transmission on the tongue and lower jaw due to the fixed mouthpiece
- lies steady in the horse's mouth, gentle on the corners of the mouth

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40368 115 78	78	115	4.1/2	14	55
40368 125 78	78	125	5.	14	55
40368 135 78	78	135	5.1/4	14	55



novocontact



HO-Weymouth



- slanting mouthpiece with a smooth, rounded and forward angled port
- slightly curved mouthpiece relieves the middle of the tongue, lower pressure on the tongue edges
- even distribution of pressure when taking the reins
- brilliant for introducing a rider or a horse gently to a Weymouth bit
- higher poll pressure due to longer cheeks, leverage effect slightly delayed

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]	Cheeks [cm]
42273 115 78	78	115	4.1/2	14	7	13
42274 115 78	78	115	4.1/2	16	7	13



novocontact Weymouth



- enlarged contact surface on the tongue
- soft influence in the horse's mouth
- optimal utilisation of the limited space in the horse's mouth
- intensively tested, especially recommended for horses that tend to pull up their tongue

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [mm]	Cheeks [cm]
42184 115 78	78	115	4.1/2	14	5	11
42184 125 78	78	125	5.	14	5	11
42184 135 78	78	135	5.1/4	14	5	11
42186 125 78	78	125	5.	16	5	11
42186 135 78	78	135	5.1/4	16	5	11
42284 115 78	78	115	4.1/2	14	7	13
42284 125 78	78	125	5.	14	7	13
42284 135 78	78	135	5.1/4	14	7	13
42286 125 78	78	125	5.	16	7	13
42286 135 78	78	135	5.1/4	16	7	13

novocontact



HO-Weymouth

with revolving cheeks



- mouthpiece and cheeks work independent from each other
- allows poll pressure without increasing the pressure on the tongue
- no tilting through single sided rein aids
- slanting mouthpiece with a rounded port
- supports a fine and delicate communication

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]	Cheeks [cm]
42373 115 78	78	115	4.1/2	14	7	13
42373 125 78	78	125	5.	14	7	13
42373 135 78	78	135	5.1/4	14	7	13
42373 145 78	78	145	5.3/4	14	7	13



Bemelmans Weymouth

with revolving cheeks



- mouthpiece and cheeks work independent from each other
- allows poll pressure and relieves the tongue at the same time
- no tilting through single sided rein aids
- high, smooth, rounded and forward angled port gives room for fleshy and thick tongues
- supports a fine and delicate communication

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]	Cheeks [cm]
42319 115 78	78	115	4.1/2	14	7	13
42319 125 78	78	125	5.	14	7	13
42319 135 78	78	135	5.1/4	14	7	13
42319 145 78	78	145	5.3/4	14	7	13

CM Liverpool bit Comfort Mouth


SENSOGAN®



- fixed cheeks with 2 slots
- ideal mouthpiece giving even distribution of pressure on the tongue
- horses confidently step forward to the bit
- suitable for introducing younger horses to driving
- recommended for horses with fleshy tongues

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
43179 115 78	78	115	4.1/2	16
43179 125 78	78	125	5.	16
43179 135 78	78	135	5.1/4	16
43179 145 78	78	145	5.3/4	16

NEW
02/2023



KK ULTRA Liverpool bit

SENSOGAN®



- flexible cheeks with 2 slots
- matches the shape of the horse's mouth
- allows precise aids

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
43184 115 78	78	115	4.1/2	16
43184 125 78	78	125	5.	16
43184 135 78	78	135	5.1/4	16
43184 145 78	78	145	5.3/4	16
43184 155 78	78	155	6.1/8	16

NEW
02/2023



HO Liverpool bit

SENSOGAN®




- fixed cheeks with 2 slots
- smooth and rounded port is angled forward and offers optimal comfort for the horse's mouth
- slanting mouthpiece distributes even pressure onto the entire tongue
- with slight port

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
43168 125 78	78	125	5.	16
43168 135 78	78	135	5.1/4	16
43168 145 78	78	145	5.3/4	16

NEW
02/2023






TURNADO

TURNADO Loose Ring snaffle



- innovative joint of the mouthpiece, turned forward by 45°
- therefore the contact surface of the mouthpiece on the tongue is equal on both sides
- this enables an even distribution of pressure on both tongue edges
- helps to counteract the horse's natural asymmetry
- sandblasted for identification of the unique angled joint
- tongue-friendly

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40586 125 56	56	125	5.	14	70
40586 135 56	56	135	5.1/4	14	70
40586 145 56	56	145	5.3/4	14	70




TURNADO

TURNADO bradoon



- innovative joint of the mouthpiece, turned forward by 45°
- therefore the contact surface of the mouthpiece on the tongue is equal on both sides
- this enables an even distribution of pressure on both tongue edges
- helps to counteract the horse's natural asymmetry
- sandblasted for identification of the unique angled joint
- tongue-friendly

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40286 105 56	56	105	4.1/8	14	55
40286 115 56	56	115	4.1/2	14	55
40286 125 56	56	125	5.	14	55
40286 135 56	56	135	5.1/4	14	55
40286 145 56	56	145	5.3/4	14	55



TURNADO


TURNADO Baucher



- innovative joint of the mouthpiece, turned forward by 45°
- therefore the contact surface of the mouthpiece on the tongue is equal on both sides
- this enables an even distribution of pressure on both tongue edges
- helps to counteract the horse's natural asymmetry
- sandblasted for identification of the unique angled joint
- tongue-friendly
- the moutpiece is fixed at the lower ring and lies closely on the tongue

Article number	Material	Size [mm]	Thickness [mm]	Ring-Ø [mm]
41086 115 56	56	115	14	45
41086 125 56	56	125	14	45
41086 135 56	56	135	14	45

NEW
02/2023



MAX-Control bits

The MAX-Control is a **double jointed** bit which, at first glance, cannot be distinguished from other double jointed loose ring snaffles. However, it is a **correction or training bit** which locks at a certain angle and thus becomes a **straight bar**.

The bit lies very well in the mouth when the horse is working properly. When the horse opposes the rider's hand the more intensive rigid effect occurs.

MAX-Control Pony / Iceland bit with locking mechanism



- double jointed training or correction bit
- locks at a certain angle and operates like a straight bar
- the locking mechanism takes effect when the pony gets strong or opposes the rider's hand
- unlocks immediately when the contact gets softer

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40711 115 56	56	115	4.1/2	12	55
40710 105 56	56	105	4.1/8	14	55



MAX-Control

MAX-Control with locking mechanism



- double jointed training or correction bit
- locks at a certain angle and operates like a straight bar
- the locking mechanism takes effect when the pony or horse gets strong or opposes the rider's hand
- unlocks immediately when the contact gets softer

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40722 115 56	56	115	4.1/2	12	70
40722 125 56	56	125	5.	12	70
40722 135 56	56	135	5.1/4	12	70



MAX-Control

MAX-Control Multi Ring with locking mechanism



- double jointed training or correction bit
- locks at a certain angle and operates like a straight bar
- the locking mechanism takes effect when the pony or horse gets strong or opposes the rider's hand
- unlocks immediately when the contact gets softer
- universally usable due to 3 different possibilities of attaching the reins
- enables versatile application possibilities, depending on purpose and education level

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40715 115 56	56	115	4.1/2	16	70
40715 125 56	56	125	5.	16	70
40715 135 56	56	135	5.1/4	16	70

NEW
02/2023



MAX-Control



SATINOX

Satinox bit line from Sprenger

The ergonomically shaped Satinox bits made of high-quality stainless steel are characterized by excellent workmanship and tested material quality.

The satin mouthpiece with its matt surface has a particularly noble appearance and ensures a pleasant feeling on the tongue. The curved shape of the SATINOX bits gives the tongue plenty of room. They provide an even distribution of pressure and achieve a direct and precise effect.

The SATINOX range offers a comprehensive selection of models for all types of horses, disciplines and training levels, creating an attractive basic bit range with an outstanding price-performance ratio.

The mouthpieces are available in single and double jointed or as Mullen Mouth bit with port.

The SATINOX range also offers a large variety of products for dressage and jumping specialists.

SATINOX Loose Ring snaffle

single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40461 115 56	56	115	4.1/2	12	70
40461 125 56	56	125	5.	12	70
40461 135 56	56	135	5.1/4	12	70
40462 105 56	56	105	4.1/8	14	55
40462 115 56	56	115	4.1/2	14	70
40462 125 56	56	125	5.	14	70
40462 135 56	56	135	5.1/4	14	70
40462 145 56	56	145	5.3/4	14	70
40462 155 56	56	155	6.1/8	14	70



SATINOX

SATINOX Loose Ring snaffle

double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40463 115 56	56	115	4.1/2	12	70
40463 125 56	56	125	5.	12	70
40463 135 56	56	135	5.1/4	12	70
40464 105 56	56	105	4.1/8	14	55
40464 115 56	56	115	4.1/2	14	70
40464 125 56	56	125	5.	14	70
40464 135 56	56	135	5.1/4	14	70
40464 145 56	56	145	5.3/4	14	70
40464 155 56	56	155	6.1/8	14	70



SATINOX

SATINOX CM Mullen Mouth



- relieves the middle of the tongue, exerts pressure only when pulling the reins
- ideal for horses with a thick and fleshy tongue
- suitable for horses that are strong and tend to pull
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40584 115 56	56	115	4.1/2	14	70
40584 125 56	56	125	5.	14	70
40584 135 56	56	135	5.1/4	14	70
40584 145 56	56	145	5.3/4	14	70



SATINOX



SATINOX

SATINOX Eggbutt bit
single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth, gentle on the corners of the mouth
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40373 115 56	56	115	4.1/2	14	65
40373 125 56	56	125	5.	14	65
40373 135 56	56	135	5.1/4	14	65
40373 145 56	56	145	5.3/4	14	65



SATINOX

SATINOX Eggbutt bit
double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth, gentle on the corners of the mouth
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40374 115 56	56	115	4.1/2	14	65
40374 125 56	56	125	5.	14	65
40374 135 56	56	135	5.1/4	14	65
40374 145 56	56	145	5.3/4	14	65



SATINOX

SATINOX D-Ring
single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth
- offers additional lateral support
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40925 115 56	56	115	4.1/2	14	70
40925 125 56	56	125	5.	14	70
40925 135 56	56	135	5.1/4	14	70
40925 145 56	56	145	5.3/4	14	70



SATINOX

SATINOX D-Ring
double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth
- offers additional lateral support
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40926 115 56	56	115	4.1/2	14	70
40926 125 56	56	125	5.	14	70
40926 135 56	56	135	5.1/4	14	70
40926 145 56	56	145	5.3/4	14	70

SATINOX CM D-Ring Mullen Mouth



- relieves the middle of the tongue, exerts pressure only when giving stronger rein aids
- ideal for horses with a thick and fleshy tongue
- suitable for horses that are strong and tend to pull
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth, offers additional lateral support
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40484 115 56	56	115	4.1/2	14	70
40484 125 56	56	125	5.	14	70
40484 135 56	56	135	5.1/4	14	70

NEW
02/2023



SATINOX


SATINOX Full Cheek single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Cheeks [cm]
41903 115 56	56	115	4.1/2	14	14
41903 125 56	56	125	5.	14	14
41903 135 56	56	135	5.1/4	14	14

NEW
02/2023



SATINOX

SATINOX Full Cheek double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Cheeks [cm]
41904 115 56	56	115	4.1/2	14	14
41904 125 56	56	125	5.	14	14
41904 135 56	56	135	5.1/4	14	14

NEW
02/2023



SATINOX

SATINOX CM Pelham



- relieves the middle of the tongue, exerts pressure only when pulling the reins
- ideal for horses with a thick and fleshy tongue
- suitable for horses that are strong and tend to pull
- the leverage effect on the poll can be varied by different rein options
- the rein aids come into play earlier due to the lever action of the short cheeks
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower part [cm]	Cheeks [cm]
42021 115 56	56	115	4.1/2	14	4,5	10
42021 125 56	56	125	5.	14	4,5	10
42021 135 56	56	135	5.1/4	14	4,5	10

42112 000 00	Pelham bit converters 16 cm nylon black (by pair)					
42112 001 00	Pelham bit converters 16 cm nylon brown (by pair)					
45249 000 71	Curb chain guard, Rubber black					

NEW
02/2023



SATINOX



SATINOX

SATINOX bradoon

single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40261 115 56	56	115	4.1/2	12	55
40261 125 56	56	125	5.	12	55
40261 135 56	56	135	5.1/4	12	55
40261 145 56	56	145	5.3/4	12	55

40263 115 56	56	115	4.1/2	14	55
40263 125 56	56	125	5.	14	55
40263 135 56	56	135	5.1/4	14	55
40263 145 56	56	145	5.3/4	14	55

NEW
02/2023



SATINOX

SATINOX bradoon

double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40262 115 56	56	115	4.1/2	12	55
40262 125 56	56	125	5.	12	55
40262 135 56	56	135	5.1/4	12	55
40262 145 56	56	145	5.3/4	12	55

40264 115 56	56	115	4.1/2	14	55
40264 125 56	56	125	5.	14	55
40264 135 56	56	135	5.1/4	14	55
40264 145 56	56	145	5.3/4	14	55

NEW
02/2023



SATINOX

SATINOX Eggbutt bradoon

single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth, gentle on the corners of the mouth
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40369 105 56	56	105	4.1/8	14	55
40369 115 56	56	115	4.1/2	14	55
40369 125 56	56	125	5.	14	55
40369 135 56	56	135	5.1/4	14	55

NEW
02/2023



SATINOX

SATINOX Eggbutt bradoon

double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- direct pressure transmission on the tongue and lower jaw due to fixed mouthpiece
- lies steady in the horses mouth, gentle on the corners of the mouth
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40370 105 56	56	105	4.1/8	14	55
40370 115 56	56	115	4.1/2	14	55
40370 125 56	56	125	5.	14	55
40370 135 56	56	135	5.1/4	14	55

NEW
02/2023

SATINOX Weymouth

long cheeks



- slanting mouthpiece, slightly curved, no contact to the sensitive palate
- steady, even pressure transmitted onto the whole tongue-width
- also suitable for introducing a horse to the Weymouth bit
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]
42292 125 56	56	125	5.1/4	12	7
42292 135 56	56	135	5.3/4	12	7
42294 125 56	56	125	5.1/4	14	7
42294 135 56	56	135	5.3/4	14	7



SATINOX

SATINOX Weymouth

short cheeks



- slanting mouthpiece, slightly curved, no contact to the sensitive palate
- steady, even pressure transmitted onto the whole tongue-width
- also suitable for introducing a pony or horse to the Weymouth bit
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]
42192 105 56	56	105	4.1/2	12	5
42192 115 56	56	115	5.	12	5
42194 105 56	56	105	4.1/2	14	5
42194 115 56	56	115	5.	14	5
42194 125 56	56	125	5.1/4	14	5
42194 135 56	56	135	5.3/4	14	5

NEW
02/2023



SATINOX



SATINOX Gag bit
single jointed

- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- gag cheeks enable to exert and increase pressure on the poll
- more control over horses that tend to push forward
- perfect to cope with technical challenges in cross country and jumping courses
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40429 115 56	56	115	4.1/2	14	70
40429 125 56	56	125	5.	14	70
40429 135 56	56	135	5.1/4	14	70

42115 000 00	Gag cheeks 45 cm black (by pair)
42115 001 00	Gag cheeks 45 cm brown (by pair)

NEW
02/2023



SATINOX


SATINOX Gag bit
double jointed

- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- gag cheeks enable to exert and increase pressure on the poll
- more control over horses that tend to push forward
- perfect to cope with technical challenges in cross country and jumping courses
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40430 115 56	56	115	4.1/2	14	70
40430 125 56	56	125	5.	14	70
40430 135 56	56	135	5.1/4	14	70

42115 000 00	Gag cheeks 45 cm black (by pair)
42115 001 00	Gag cheeks 45 cm brown (by pair)

NEW
02/2023



SATINOX

SATINOX Multi Ring single jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- universally usable due to 3 different possibilities of attaching the reins
- enables versatile application possibilities, depending on purpose and education level
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40467 115 56	56	115	4.1/2	14	70
40467 125 56	56	125	5.	14	70
40467 135 56	56	135	5.1/4	14	70

NEW
02/2023



SATINOX

SATINOX Multi Ring double jointed



- ergonomic shape allowing an even distribution of pressure
- fits anatomically correct between tongue and palate
- direct and precise effect
- universally usable due to 3 different possibilities of attaching the reins
- enables versatile application possibilities, depending on purpose and education level
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
40468 115 56	56	115	4.1/2	14	70
40468 125 56	56	125	5.	14	70
40468 135 56	56	135	5.1/4	14	70

NEW
02/2023





SATINOX

The special feature of the Multi Ring is its versatility. Depending on how the reins are attached, the rider can act with varying impact and address different contact points on the horse's head.

Different rein options:

1. Effect of a normal loose ring snaffle.
2. Additional pressure on the poll.
3. Additional pressure onto tongue and lower jaw.



SATINOX CM Kimblehook



- relieves the middle of the tongue, exerts pressure only when giving stronger rein aids
- ideal for horses with a thick and fleshy tongue
- suitable for horses that are strong and tend to pull
- versatile pressure distribution on the lower jaw and poll, depending on the buckling
- can be used with a curb strap which is not included
- excellent processing and tested material quality

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
42314 115 56	56	115	4.1/2	14
42314 125 56	56	125	5.	14
42314 135 56	56	135	5.1/4	14

NEW
02/2023



SATINOX

42111 000 00 KK leather curb strap 59 cm black



FILLIS Stirrups for Children
pad rubber black



- new size 11 cm / 4.1/4 inch
- trendy in rose gold colour
- classic design
- made of high quality stainless steel

Article number	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44244 112 58	110	4.1/4	rose gold	black

NEW
02/2023



FILLIS Stirrups
pad rubber black



- trendy in rose gold colour
- classic design
- made of high quality stainless steel

Article number	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44244 122 58	120	4.3/4	rose gold	black



FILLIS Stirrups
pad rubber black



- elegant in gold colour
- classic design
- made of high quality stainless steel

Article number	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44244 122 08	120	4.3/4	gold	black



FILLIS Stirrups
pad rubber black



- modern and timeless in anthracite colour
- classic design
- made of high quality stainless steel

Article number	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44244 122 64	120	4.3/4	anthracite	black

FILLIS Stirrups

pad rubber black



- new size 13 cm / 5.1/8 inch
- timeless in silver colour
- classic design
- made of high quality stainless steel

Article number	Material	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44244 832 56	56	130	5.1/8	silver	black

NEW
02/2023



Peacock Stirrups

with rubber ring



- the open side of the stirrup should assist to release the foot in case of a fall
- with black rubber pad
- made of high quality stainless steel

Article number	Material	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44250 112 56	56	110	4.1/4	silver	black

44251 001 00	Rubber ring, black to 44250				
44252 001 00	Leather strap, black to 44250				

NEW
02/2023



Icelandic Stirrups



- trendy in rose gold colour
- the offset eye makes it easier to pick up the stirrup
- with black rubber pad
- bent on both sides
- made of high quality stainless steel

Article number	Material	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44256 122 58	58	120	4.3/4	rose gold	black

NEW
02/2023



Icelandic Stirrups



- modern & timeless in anthracite colour
- the offset eye makes it easier to pick up the stirrup
- with black rubber pad
- bent on both sides
- made of high quality stainless steel

Article number	Material	Size [mm]	Size [inch]	Colour	Colour of stirrup pad
44256 122 64	64	120	4.3/4	anthracite	black

NEW
02/2023





Rubber stirrup pads

- made of solid rubber
- straight shape
- non-slip due to nubby structure on the upper side
- delivery by pair

Article number	Size [mm]	Size [inch]
44242 110 71	110	4.1/4
44242 130 71	130	5.1/8

NEW
02/2023



Stirrup protector

- perfect protection for stirrups and saddle
- with handy drawstring
- made of fine velvet
- delivery by pair
- fits all Sprenger stirrups and most of the available stirrup models on the market

Article number	Colour	Measures [cm]
44300 000 00	blue	21 x 22





BootProtect spurs with Balkenhol fastening



- short, flat neck end for punctual action
- rubber coating on the inside of the spur protects the riding boot
- non-slip grip
- elegant and refined design
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending

Article number	Material	Neck Size [mm]	Neck Size [inch]
47715 100 55	55	15	5/8




BootProtect spurs with Balkenhol fastening



- rounded neck end for soft impact
- rubber coating on the inside of the spur protects the riding boot
- non-slip grip
- elegant and refined design
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending

Article number	Material	Neck Size [mm]	Neck Size [inch]
47720 000 55	55	20	3/4




BootProtect spurs with Balkenhol fastening



- rounded neck end for soft impact
- rubber coating on the inside of the spur protects the riding boot
- non-slip grip
- elegant and refined design
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending

Article number	Material	Neck Size [mm]	Neck Size [inch]
47725 000 55	55	25	1.




BootProtect Hammer spurs with Balkenhol fastening



- hammer spur neck end for a more intense action
- rubber coating on the inside of the spur protects the riding boot
- non-slip grip
- elegant and refined design
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending


Article number	Material	Neck Size [mm]	Neck Size [inch]
47727 000 55	55	20	3/4











utility model protection
DE 20 2019 005 086 U1 2020.04.09



- ideal for introducing spurs to the horse
- gentle to skin and coat due to enlarged and smooth contact surface
- for leg- and spur-sensitive horses (e.g. striking or tail swishing after spur use)
- for sensitising horses that do not react well to conventional spurs
- aluminium carrier with arched plastic neck
- light and comfortable to wear




fairRider spurs 20 mm round, Aluminium anodised
thick rounded neck end, for especially soft impact

Article number	Colour neck	Colour bow	Picture
47611 020 53	black	black	
47611 020 54	black	silver	
47611 020 76	black	blue	
47612 020 53	silver	black	
47612 020 54	silver	silver	
47612 020 76	silver	blue	
47613 020 53	blue	black	
47613 020 54	blue	silver	
47613 020 76	blue	blue	


fairRider spurs 25 mm round, Aluminium anodised
thin rounded neck end, for a soft but precise effect

Article number	Colour neck	Colour bow	Picture
47621 025 53	black	black	
47621 025 54	black	silver	
47621 025 76	black	blue	
47622 025 53	silver	black	
47622 025 54	silver	silver	
47622 025 76	silver	blue	
47623 025 53	blue	black	
47623 025 54	blue	silver	
47623 025 76	blue	blue	



fairRider spurs 20 mm flat, Aluminium anodised
round flattened neck end, enables punctual effect or large scale impact

Article number	Colour neck	Colour bow	Picture
47631 120 53	black	black	
47631 120 54	black	silver	
47631 120 76	black	blue	
47632 120 53	silver	black	
47632 120 54	silver	silver	
47632 120 76	silver	blue	
47633 120 53	blue	black	
47633 120 54	blue	silver	
47633 120 76	blue	blue	





LEBENS-LANGE
BRUCHGARANTIE
LIFETIME WARRANTY
AGAINST BREAKAGE



ULTRAfit
SLIMLINE



ULTRA fit SLIMLINE Children spurs
with Balkenhol fastening



- rounded neck end for soft impact
- elegant and refined design
- shortened heels
- perfect for children's feet and small shoe sizes
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending

Article number	Material	Neck Size [mm]	Neck Size [inch]
47215 000 55	55	15	5/8

LEBENS-LANGE
BRUCHGARANTIE
LIFETIME WARRANTY
AGAINST BREAKAGE



ULTRAfit
SLIMLINE

ULTRA fit SLIMLINE spurs
with Balkenhol fastening



- rounded neck end with small round rowel
- ideally suited for horses that do not react sufficiently to rounded spurs
- elegant and refined design
- slimmer than conventional spurs
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel
- can be adjusted to the foot by bending

Article number	Material	Neck Size [mm]	Neck Size [inch]	Spur rowel
47325 006 55	55	30	1.1/4	




Comfort Roller Super Soft Spurs with Balkenhol fastening



- the rowel is significantly thicker and more rounded than on the original Comfort Roller spurs
- rolls on contact with the horse and thus avoids rubbing and chafing on the coat and skin of sensitive horses
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]
47455 008 55	55	25	1.




ULTRAfit

Comfort Roller Soft Point Spurs with Balkenhol fastening



- 4 mm wide and in all dimensions rounded serrated wheel
- the impact is very gentle, no stab injuries can be caused
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]
47463 007 55	55	25	1.




ULTRAfit

Comfort Roller Super Soft Spurs with Balkenhol fastening



- the rowel is significantly thicker and more rounded than on the original Comfort Roller spurs
- rolls on contact with the horse and thus avoids rubbing and chafing on the coat and skin of sensitive horses
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]
47555 008 55	55	25	1.




ULTRAfit
EXTRA GRIP

Comfort Roller Soft Point Spurs with Balkenhol fastening



- 4 mm wide and in all dimensions rounded serrated wheel
- the impact is very gentle, no stab injuries can be caused
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot

Article number	Material	Neck Size [mm]	Neck Size [inch]
47563 007 55	55	25	1.



ULTRAfit
EXTRA GRIP



LEBENS-LANGE
BRUCHGARANTIE
LIFETIME WARRANTY
AGAINST BREAKAGE



ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs
with Balkenhol fastening



- rounded neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47525 000 G5	55	25	1.	dark brown

LEBENS-LANGE
BRUCHGARANTIE
LIFETIME WARRANTY
AGAINST BREAKAGE




ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs
with Balkenhol fastening



- with little round rowel
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	Spur rowel	rubber colour
47525 006 G5	55	30	1.1/4		dark brown

LEBENS-LANGE
BRUCHGARANTIE
LIFETIME WARRANTY
AGAINST BREAKAGE



ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs
with Balkenhol fastening



- rounded neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel


Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47535 000 G5	55	35	1.3/8	dark brown

ULTRA fit BROWN GRIP spurs with Balkenhol fastening



- ball-shaped neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47521 000 G5	55	20	3/4	dark brown




ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs with Balkenhol fastening



- ball-shaped neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47531 000 G5	55	30	1.1/4	dark brown




ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs with Balkenhol fastening



- flat neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47525 100 G5	55	25	1.	dark brown




ULTRAfit
EXTRA GRIP

ULTRA fit BROWN GRIP spurs with Balkenhol fastening



- flat neck end
- rubber covered spur for a better fit and an attractive look
- reliable protection of the boot-leather
- unique fit and design, can be adjusted to the foot by bending
- intelligent spur strap loop for a perfect fit on the boot
- made of break-proof, high-quality stainless steel

Article number	Material	Neck Size [mm]	Neck Size [inch]	rubber colour
47535 100 G5	55	35	1.3/8	dark brown



ULTRAfit
EXTRA GRIP



Spur straps, Biothane

- easy to clean
 - resistant to bacteria and mildew
 - very durable and (salt)water resistant
- no fading of colours
 - flexible even when cold
 - vegan

Article number	Length [cm]	Length [inch]	Colour
49187 045 00	45	17.3/4	black



Spur straps, Biothane

Article number	Length [cm]	Length [inch]	Colour
49187 045 B0	45	17.3/4	pink



Spur straps, Biothane

Article number	Length [cm]	Length [inch]	Colour
49187 045 C0	45	17.3/4	grey



Spur straps, Biothane

Article number	Length [cm]	Length [inch]	Colour
49187 045 G0	45	17.3/4	brown



Spur straps, Perlon

- plaited, exceptionally durable perlon
- with Steel nickel plated buckle

Article number	Length [cm]	Length [inch]	Length [inch]	Colour
49189 045 A0	45	17. 3/4	17.3/4	blue



Spur straps, Perlon

Article number	Length [cm]	Length [inch]	Length [inch]	Colour
49189 045 B0	45	17. 3/4	17.3/4	pink



Spur straps, Perlon


buckle stainless steel black

Article number	Length [cm]	Length [inch]	Length [inch]	Colour
49189 045 B1	45	17. 3/4	17.3/4	pink



Spur straps, Perlon

Article number	Length [cm]	Length [inch]	Length [inch]	Colour
49189 045 C0	45	17. 3/4	17.3/4	grey



SPRENGER BLOG



YOUTUBE

Herrn. Sprenger

HANDCRAFTED FOR EQUESTRIAN
SINCE 1872

Herm. Sprenger

HANDCRAFTED FOR EQUESTRIAN
SINCE 1872



Herm. Sprenger
Metallwarenfabrik GmbH & Co. KG

Alexanderstraße 10-21 · 58644 Iserlohn · Germany

Phone: +49 (0) 23 71 95 59-0
Fax: +49 (0) 23 71 95 59-939
reitsport@sprenger.de
www.sprenger.de